Boom Lift License Ottawa

Boom Lift License Ottawa - In order to operate an aerial boom lift, operators must be certified through training that can be obtained using both classroom sessions and practical training and by attaining a boom lift license. Instruction must be given with respect to the type of aerial lift which would be utilized on the job. A License is required for anybody who operates or works on an aerial boom lift.

Vehicle-mounted aerial devices consist of the following work vehicles: extensible boom platforms, aerial ladders, articulating boom platforms, vertical towers, and any combination of these kinds.

There are several basic safety regulations which apply to all boom lifts. Worker safety whilst in the basket is a top priority. Workers should have on a body harness and lanyard attached to the boom or basket. Never tie off to a structure, equipment or an adjacent pole. Staff must stand on the floor of the basket, and never climb or sit on the edge of the basket. The load restrictions of the manufacturer should be adhered to.

Aerial lift operators must be authorized to make use of the machines. The operator should know all the aspects of the device and should have access to the manufacturers instruction manual that must be kept within the lift. Operators are responsible for making sure that safety procedures are followed in the operation of the lift. A daily test of lift controls must be performed. Set brakes and position outriggers (if they are used) on pads or a stable surface. If working on a slope, use wheel chocks.

The aerial lift vehicle must never be moved whilst a worker is within the basket of an elevated boom, unless they are utilizing equipment which are specifically designed for this. Extensible boom platforms and articulating boom utilized as personnel carriers should have accessible, plainly marked, upper controls. Except for in emergency circumstances, lower controls must not be used to override upper controls unless the individual inside the lift gives consent.

Do not wear tree or pole climbers shall while working from an aerial lift.
The insulated part of the aerial lift must not be altered.
Make certain that the booms are carefully inspected, that the machine is properly cradled and the outriggers are in the stowed position prior to moving.
Make certain that lifts being used near or in power lines are di-electrically tested and follow local rules.